



Product Service

CERTIFICATE

No. Z1 095063 0003 Rev. 01

Holder of Certificate: **Di Martino S.p.A.**

Via Pavane 1
36065 Mussolente (VI)
ITALY

Certification Mark:



Product: **Pressure Sprayer Devices**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: MES2094460A00TR

Valid until: 2028-11-08

Date, 2023-11-17

(Andrea Rotundo)

CERTIFICATE

No. Z1 095063 0003 Rev. 01

Model(s):

EVA; BIBA; THEMA; ASTRA; SIRIO; FLORIS; ALTA 1500; ALTA 2000; ALTA 2000 EPDM; CHEF 2 LT; CRYSTAL; CRYSTAL 360; GEA 2; GEA; GARDEN 2000; GARDEN 1500; JOLLY 2; ARIEL+V; CARRY+V; ALTA 15000 VITON +V; JOLLY 4+V; BRIO 4+V; MARY 5+V; GAMMA 5+V; GARDEN 5+V; ALTA 7000 VITON+V; ALTA 10000 VITON+V; JOLLY 5+V; JOLLY 7+V; JOLLY 10+V; STILLA 5+V; STILLA 10+V; ALTA 12000 VITON+V; JOLLY 12 +V; JOLLY 16+V; JOLLY 22+V; OLIMPIA 12+V; OLIMPIA 15+V; OLIMPIA 22+V; ALTA 2000 FOAM; JOLLY 1,5; ALTA 15000 FOAM+V; ALTA 7000 EDPM+V; ALTA 7000 FOAM+V.

Parameters:

MODEL	TOTAL WEIGHT EMPTY [kg]	MAXIMUM CAPACITY [l]	OPERATING PRESSURE [bar]	CONTAINER MATERIAL	SUPPORTING MANNER
EVA	0.42	2.0	1-3	HD PE	hand
BIBA	0.40	1.5	1-3	HD PE	hand
THEMA	0.42	2.0	1-3	HD PE	hand
ASTRA	0.40	1.5	1-3	HD PE	hand
SIRIO	0.42	2.0	1-3	HD PE	hand
FLORIS	0.38	1.5	1-3	HD PE	hand
ALTA 1500	0.40	1.5	1-3	HD PE	hand
ALTA 2000	0.42	2.0	1-3	HD PE	hand
ALTA 2000 EPDM	0.42	2.0	1-3	HD PE	hand
CHEF 2 LT	0.42	2.0	1-3	HD PE	hand
CRYSTAL	0.32	2.0	1-3	PET	hand
CRYSTAL 360	0.34	2.0	1-3	PET	hand
GEA 2	0.37	2.0	1-3	HD PE	hand
GEA	0.35	1.5	1-3	HD PE	hand
GARDEN 2000	0.42	2.0	1-3	HD PE	hand
GARDEN 1500	0.38	1.5	1-3	HD PE	hand
JOLLY 2	0.42	2.0	1-3	HD PE	hand
ARIEL+V	3.6	15.0	1-3	HD PE	handle - wheel
CARRY+V	3.6	15.0	1-3	HD PE	handle - wheel
ALTA 15000 VITON +V	3.6	15.0	1-3	HD PE	handle - wheel
JOLLY 4+V	1.1	4.0	1-3	HD PE	on the shoulder
BRIO 4+V	1.2	3.7	1-3	HD PE	on the shoulder
MARY 5+V	1.5	5.8	1-3	HD PE	on the shoulder
GAMMA 5+V	1.5	5.8	1-3	HD PE	on the shoulder
GARDEN 5+V	1.3	5.8	1-3	HD PE	on the shoulder
ALTA 7000 VITON+V	1.7	7.95	1-3	HD PE	on the shoulder
ALTA 10000 VITON+V	1.9	10.75	1-3	HD PE	on the shoulder
JOLLY 5+V	1.3	5.8	1-3	HD PE	on the shoulder
JOLLY 7+V	1.5	7.95	1-3	HD PE	on the shoulder
JOLLY 10+V	1.7	10.75	1-3	HD PE	on the shoulder
STILLA 5+V	1.3	5.8	1-3	HD PE	on the shoulder
STILLA 10+V	1.7	10.75	1-3	HD PE	on the shoulder
ALTA 12000 VITON+V	2.8	11.6	1-5	HD PE	on the back
JOLLY 12 +V	2.8	11.6	1-5	HD PE	on the back
JOLLY 16+V	2.9	14.25	1-5	HD PE	on the back
JOLLY 22+V	3.3	20.25	1-5	HD PE	on the back
OLIMPIA 12+V	2.9	11.6	1-5	HD PE	on the back

CERTIFICATE

No. Z1 095063 0003 Rev. 01

MODEL	TOTAL WEIGHT EMPTY [kg]	MAXIMUM CAPACITY [l]	OPERATING PRESSURE [bar]	CONTAINER MATERIAL	SUPPORTING MANNER
OLIMPIA 15+V	2.9	14.25	1- 5	HD PE	on the back
OLIMPIA 22+V	3.3	20.25	1- 5	HD PE	on the back
ALTA 2000 FOAM	0.42	2.0	1- 3	HD PE	hand
JOLLY 1,5	0.38	1.5	1- 3	HD PE	hand
ALTA 15000 FOAM+V	3.6	15.0	1- 3	HD PE	handle - wheel
ALTA 7000 EDPM+V	1.7	7.95	1- 3	HD PE	on the shoulder
ALTA 7000 FOAM+V	1.7	7.95	1- 3	HD PE	on the shoulder

V: Variant provides for adoption of different models of knob, extension and delivery jet (flow opening and closing device).

Tested according to: EK5/TA6 06-05:2014